# AUDAX GROUP

Envision The World With Technology

All-in-one technology Solution Provider for 16 Years

Interactive, Digital, Experiential

Audax Visual provide a one-stop cutting-edge solutions for 3D content, interactive program and experiential design

Product Range

Indoor LED Screen

LED Poster

Transparent Screen

Outdoor LED

Conference IFP (Maxhub)

Commercial Display

Integrated LED Wall Raptor
Maxhub

Transparent OLED TV

audax visuals

LED Poster

All in one Design
Plug & Play

**Multi-screen Cascade
Seamless Splicing
1-person fast assembly**

More flexible	Fast splice
detachable border	Fast locker connect

SMART SPLIT SCREEN

Optional split screen mode, supporting HD picture or video split screen display mode.

One screen

Two screen

Three screen

TOTALLY SEAMLESS SPLICING

It can not only show alone but also splicing together

①

**Separate display**

① ② ③ ④ ⑤

multiscreens cascade

Front view

Side view

Back view

Transparent acryllc

Removable base with wheelsfor easier movement

Portable wheel

With movable gear, youcanmove at will

High heat dissipation

Multiple cooling holes,very good heat dissipationfunction

Rich interface protocols

It can beeasily controlled bymobile phone ,computer,WIFland U disk anytime andanywhere

EASY MAINTENANCE

Module frontmaintenance:No need to disassemble protective layer

Vac-sorb maintenance tool

MULTIPLE INSTALLATION METHODS

Floor standing, on the wall, into the wall, Hanging
are all achievable

Floor-standing

Lifting

Creative type

REMOTE CONTROL

Controlled via phone Computer ,wifi/4G,usb.
Easily change and save the content on the phone
and upload in 10 seconds

LAN/WIFI/4G

USB AUTO DISPLAY

1

2

POPULAR APPLICATIONS

widely use for shops, hotel, wedding, meeting guidance,
new product presentation, auto car 4S shop, etc.

LED Poster Parameters

	Poster 1.2	Poster 1.5	Poster 1.8	Poster 2	Poster 2.5
LED type	SMD2121	SMD2121	SMD2121	SMD2121	SMD2121
Pixel pitch	P1.2	P1.5	P1.8	P2	P2.5
LED Dimension (MM)	640x1920x48 (L*H*T)	640x1920x48 (L*H*T)	640x1920x48 (L*H*T)	640x1920x48 (L*H*T)	640x1920x48 (L*H*T)
Resolution(W×H)	533*1600	426*1280	355*1066	320*960	256*768
Refresh Rate (Hz)	≥3840Hz	≥3840Hz	≥3840Hz	≥3840Hz	≥3840Hz
LED module layout	2*8	2*8	2*8	2*8	2*8
Brightness	800 (adjustable)	800 (adjustable)	800 (adjustable)	800 (adjustable)	800 (adjustable)
Net. weight/set	36kg	36kg	36kg	36kg	36kg
Max.Power consumption	700W/m²	700W/m²	700W/m²	700W/m²	700W/m²
Avg.Power consumption	230W/m²	230W/m²	230W/m²	230W/m²	230W/m²
Viewing （H/V°）	160/160	160/160	160/160	160/160	160/160
Lifetime	80,000 hrs	80,000 hrs	80,000 hrs	80,000 hrs	80,000 hrs

Thank you for your time!

Any enquiry please call us @ 67499810 or
email us at sales@audax.com.sg
63 Ubi Avenue 1, #07-02, 63@Ubi, Singapore 408937

audax visuals